

Jade  
CALAMVALE

DESIGN AND SITING  
GUIDELINES



# DESIGN AND SITING GUIDELINES ~

---

---

## Building Approval Process

---

The Lifestyle Rules and Design and Siting Guidelines are administered by the Developer's Design Review Committee. The committee is made up of person/s appointed by the Developer. Decisions or considerations made by the Design Review Committee are final. The design approval process is as follows:

### 1. Contract Signing

You will receive your Land Sales Contract and any relevant accompanying documents (including special conditions and annexures). It is your responsibility to read and understand the obligations prescribed in them. Should any further clarification be required, you should contact your legal representative.

### 2. Building Work Design

It is essential that the design of any of your building work meets the requirements of these Guidelines. It is strongly recommended that you pass on a copy of these Lifestyle Rules and Design and Siting Guidelines to your architect, designer and/or builder.

### 3. Design Assessment

You must submit your plans to the Developer for approval prior to obtaining a building approval. The items listed below are to be submitted in A3 size:

- A Site Plan at 1:200 scale indicating: north point, setback dimensions, location of the proposed house, contours and levels of your lot, the proposed pad and slab level of your house, proposed earthworks, retaining walls, driveway, fences, paths, stormwater drainage provisions and any other external fixtures and fittings.
- Floor Plan/s at 1:100 scale indicating: dimensions and material and finishes of any structures, and any external fixtures and fittings.
- Elevations of all aspects of the proposed house at 1:100 scale indicating: external materials and finishes, roof pitches, height, eave measurements and any other structures likely to affect the appearance of the proposed house (retaining walls, fencing etc)
- Sections through the proposed house at 1:100 scale.
- Landscape Plan/s showing general surface treatments including lawn planting and paving areas, as well as planting layout including location, size, and species of plants.

### 4. Design Approval

When your design is deemed compliant with the requirements of these rules and guidelines, the Developer will issue to you a design approval letter. Should there be issues to address in your design to achieve compliance, these will be provided accordingly.

### 5. Statutory Approval

Once written design approval has been received, you may proceed to obtain your statutory local government approvals and begin construction.

---

## Design of Dwelling and Residential Use

---

The design is to be prepared with the intent of complimenting Jade's characteristics by combining quality design, landscaping, and the neighbourhood streetscape.

Modern contemporary design and architecture is encouraged with a minimum floor area of 180m<sup>2</sup> unless approved in writing by the Developer.

The lot is to be utilised for a single dwelling unless otherwise approved in the Development Approval or consented to in writing by the Developer.

The running of a business enterprise or for manufacturing purposes cannot occur unless approved by the statutory authority.

---

## Siting Guideline Setback Table

---

For lots with an area less than 450m<sup>2</sup>, building setbacks are to be in accordance with the approved POD and Brisbane City Council Dwelling House (Small Lot) Code.

For lots with an area of 450m<sup>2</sup>+, building setbacks are to be in accordance with the Queensland Development Code Section MP1.2. The relevant setbacks are summarised in Appendix A.

---

## Street Front Façade and Articulation

---

The design should enhance the primary and secondary street frontages along with complimenting the streetscape.

Consideration is to be provided to the following façade articulation detail to reduce building mass:

- Windows recessed into the façade.
- Balconies or porches.
- Architectural screens.
- Architectural hoods.

Buildings must include two or more of the following attributes:

- Roof overhang.
  - Balconies or porches.
  - Awning or permanent shade structure.
- 

## Façade Colours and Materials.

---

Preferred external colours are to consist of natural and earthy tones.

Bright colours will be considered on merit and in small applications.

Untreated materials that are raw and reflective are not permitted.

The use of a mix of two building materials is required to provide texture and articulation with either the use of render and/or cladding combined.

Face brick will be considered if it is a feature brick or a speciality type.

---

## Roof Design

---

Roof designs and material should be complementary and consistent with the rest of the house design and can be constructed of either concrete tile, terracotta or non-reflective Colourbond and must incorporate eaves of at least 450mm.

Roof pitches can consist of:

- Traditional hip and or gable roofs between 20 and 35 degrees; or
- Skillion roofs proposed should have a pitch between 10 – 15 degrees.

Other roof forms outside of those noted will be considered upon architectural merit.

# DESIGN AND SITING GUIDELINES ~

---

---

## Excavation and Slope

---

Any excavation is required to be constructed as per statutory authority requirements and should be kept to a minimum where possible.

Designing around existing land contours is encouraged.

Where retaining is proposed and unavoidable the preferred material is to be constructed of concrete or masonry material to compliment the house.

Timber retaining material is only to be permitted in areas not visible from the street unless for landscape purposes.

If the total height of a retaining wall is more than 1m above the lots designed surface level, a building approval is required in accordance with statutory authority requirements. This will involve a structural engineer's design of the wall and certification after construction.

---

## Garages

---

Garages must be constructed under the roof of the main dwelling and must be an integrated element of the design.

Garages are to be constructed along the build to boundary side and in line Development Approval setbacks criteria.

Garages should be set back a min 5.5m from the boundary.

Preference is for garages to be setback 1.0m from the front façade.

---

## Carpports

---

Carpports may be considered however, must compliment the main dwelling and be in accordance with the approved setback criteria.

---

## Driveways

---

Only one driveway is permitted for each house unless approved in writing by the Developer.

Driveways must extend from the kerb edge to the garage.

Driveways must be constructed from exposed aggregate concrete or coloured concrete and should complement the design of the dwelling.

Plain concrete driveways are not permitted. All driveways and crossovers are to comply with the statutory authorities' requirements.

Driveway crossover width must not exceed 40% of the lot frontage or 5m (whichever is less).

---

## Outbuildings and Sheds

---

Outbuildings and sheds are to be located behind the side returned fence and screened from public view.

Proposed outbuildings and sheds are to be standalone and must be located at the rear of the property and be built with finishes that complement the main dwelling.

Where pre-finished metal is utilised, it must be non – reflective.

# DESIGN AND SITING GUIDELINES ~

---

---

## Ancillary Structures

---

All ancillary structures must be located away from the primary and secondary frontage where possible and screened from public view where possible.

Ancillary structures such as swimming pools must be clearly indicated on site plans.

---

## Shade Sails

---

Shade sails are not permitted to be installed at the front of the property.

---

## Temporary Structures

---

Temporary or relocatable structures are not permitted unless for use in the construction and must be removed upon completion.

---

## Rubbish Bins

---

Rubbish bins are to be stored behind the main building line and not visible from the street.

---

## Air Conditioning Units

---

Air conditioners are to be concealed from street view where possible or screened.

---

## Security Screens

---

Security screens are permitted to be installed but must not be diamond grill style to the front of the house. This also applies to secondary frontages.

---

## Clothes Lines

---

Clothes lines are to be concealed from the street and where possible attached to the house and not fence.

---

## Hot Water Systems

---

Hot water systems must not be visible from the street.

---

## Antennas

---

Antennas must be unobtrusive and located towards the rear of the house.

---

## Undercroft Areas

---

Screening of these areas is a requirement and will be approved based on the suggested application to be utilised in conjunction with the overall house design and materials utilised in the house construction.

# DESIGN AND SITING GUIDELINES ~

---

---

## Landscaping

---

Good quality landscaping with mature plants must be provided to the primary and secondary street frontage.

Climate must be considered when selecting plant species and drought tolerant species are encouraged. Front lawns must be turfed and not seeded. Artificial or synthetic turf is not permitted.

Landscaping must be completed within two months of occupation and must be well maintained.

---

## Vegetation and Tree Clearing

---

Tree clearing where required is to be limited to the building area and must be in with line statutory authorities' requirements.

---

## Letterboxes

---

Must be constructed in a manner that compliments the design of the house and must be completed in line with occupancy. Standalone post letterboxes are not encouraged.

Non reflective metal letterboxes are also permitted.

---

## Fencing

---

Boundary fences (between lots) must be of timber construction and not exceed 1.8m in height. Strictly no cement fibre sheeting, wire sheet steel, thatch, plain concrete, or composite material is permitted.

No fencing is permitted in front of the main building line.

---

## Window Dressing

---

Your home must be furnished with window dressings prior to occupation.

Design and colour toning are to compliment the dwelling with acceptable dressings including, blinds, curtains, or shutters.

---

## Owners Obligations

---

Owners' obligations include and are not limited to:

- Comply with the prescribed Design & Siting Guidelines.
  - Repair any damage caused to common property throughout construction.
  - Footpaths and nature strips are to be free from building material during construction.
  - Do not store any building material on adjacent lots.
  - Keep the lot free from any rubbish.
  - Ensure gardens to the front are maintained.
  - Ensure boats, caravans, and trailers are garaged or kept behind fencing and not visible from street view; and
  - All builder's rubbish is to be removed from site and must not to be stored on other lots.
- 

## Animals

---

House pets are permitted in accordance with the statutory authorities' requirements and must be confined to your property.

Livestock and poultry are not permitted.

# DESIGN AND SITING GUIDELINES ~

---

---

## Lot Maintenance

---

At all times, the property must be well maintained and free from excessive weeds. Trees are to be pruned and kept in a safe manner to the public and neighbouring properties.

---

## Signage

---

Signs, advertisements, or similar structures are to be kept to a maximum of one per lot. In addition to this one, a Builders Contractors sign will be permitted throughout the construction period.

---

## Construction Commencement

---

Construction must commence within 12 months of settlement of the land and must be completed 6 months from commencement.

Incomplete building works must not be left for a period of more than 3 months without work being carried out.

---

## Sale by the Buyer

---

The buyer must pass to the successor of the title all design and landscaping requirements before disposing of the lot.

The successor will be bound by these design and landscaping requirements.

---

## Disclaimers and Acknowledgement

---

Orchard (acting reasonably) may amend or vary the Design & Siting Guidelines for future lots at Jade and if Orchard considers (acting reasonably) that any changes to the Design & Siting Guidelines would not materially and detrimentally affect the Buyer or the Property. Orchard will provide reasonable notice to the Buyer that Orchard intends to make such changes.

In exercising its rights under this clause, Orchard will have regard to:

- (a) the reasonable interests of the Buyer and the any neighbouring property owners;
- (b) the purpose and objective of the Design & Siting Guidelines as described under heading "Building Approval Process"; and
- (c) the extent that:
  - (i) the variation and/or modifications; or
  - (ii) the exclusion or non-enforcement of the Design & Siting Guidelines (or parts of them),

will materially and detrimentally affect the Buyer and/or the Property and/or the Estate.

The owner acknowledges and agrees that:

- the land forms part of Jade which is a quality residential community;
- unsold lots in Jade are a valuable asset of the Orchard, the value of which depends, in part, on Jade continuing to be and being regarded as a quality residential community;
- Orchard has a legitimate business interest in ensuring that Jade remains a quality residential community;
- the value of other lots in Jade already sold to other owners depends, in part, on Jade continuing to be and being regarded as a quality residential community; and

it is necessary and in the interest of all owners of land within Jade that Orchard exercises supervision and control to regulate the design and construction standard of dwellings, other improvements and landscaping, and completion of construction of dwellings, other improvements and landscaping within Jade and other matters generally.

## Appendix A - Jade Setback Table

Lot	Front (m)	Secondary (m)	Side BTB (m)	Side Non BTB (m) < 4.5m Height	Side Non BTB (m) > 4.5m Height	Rear (m) < 4.5m Height	Rear (m) > 4.5m Height	Max Site Coverage
1	3.000	N/A	0.000	1.000	1.000	6.000	6.000	60%
2	3.000	N/A	0.000	1.000	1.000	6.000	6.000	60%
3	3.000	1.500	N/A	1.000	1.000	6.000	6.000	60%
4	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
5	3.000	N/A	0.000	1.000	1.000	6.000	6.000	50%
6	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
7	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
8	3.000	N/A	0.000	1.000	1.000	6.000	6.000	50%
9	QDC	N/A	N/A	1.275	1.700	1.275	1.700	50%
10	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
11	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
12	3.000	N/A	0.000	1.000	1.000	6.000	6.000	50%
13	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
14	3.000	N/A	0.000	1.000	1.000	6.000	6.000	50%
15	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
16	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
17	QDC	N/A	N/A	1.275	1.700	1.275	1.700	50%
18	QDC	N/A	N/A	1.275	1.700	1.275	1.700	50%
19	QDC	N/A	N/A	0.900	1.200	0.900	1.200	50%
20	3.000	N/A	0.000	1.000	1.000	6.000	6.000	50%
21	3.000	1.500	0.000	1.000	1.000	6.000	6.000	60%
22	3.000	N/A	0.000	1.000	1.000	6.000	6.000	60%
23	3.000	N/A	0.500	1.000	1.000	6.000	6.000	60%
24	3.000	N/A	0.500	1.000	1.000	6.000	6.000	60%
25	3.000	N/A	0.000	1.000	1.000	6.000	6.000	60%
26	3.000	1.500	0.000	1.000	1.000	6.000	6.000	50%
27	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
28	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
29	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
30	QDC	N/A	N/A	1.275	1.700	1.275	1.700	50%
31	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
32	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
33	3.000	N/A	0.000	1.000	1.000	6.000	6.000	60%
34	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
35	QDC	N/A	N/A	1.050	1.400	1.050	1.400	50%
36	QDC	N/A	N/A	1.500	2.000	1.500	2.000	50%



---

## Design & Siting Guidelines Checklist

---

Lot No. .... Street Address .....

Owner's Name .....

Contact No .....

Owner's Address .....

Owner's Email .....

Designer/Architect .....

Contact No .....

Builder's Company Name .....

Contact No .....

Builder's Contact Name .....

Contact No .....

Signature of Builder/Owner .....

Date .....

Documentation (A3 size) required to be submitted for approval:

- |  |                          |
|--|--------------------------|
| 1 Site plan at 1:200 scale. Including dwelling, garage and outbuildings    | <input type="checkbox"/> |
| 2 Floor plans at 1:100 scale. House and any external fixtures or fittings  | <input type="checkbox"/> |
| 3 Elevations at 1:100 scale. Front, rear and both sides                    | <input type="checkbox"/> |
| 4 Sections at 1:100 scale. Sections through the house                      | <input type="checkbox"/> |
| 5 Schedule of external finishes. Walls and roofs of house and outbuildings | <input type="checkbox"/> |
| 6 Landscape plans. General surface treatments and planting layout          | <input type="checkbox"/> |

Each box is to be ticked. Applications cannot be assessed until all of the above information is available. Please submit all documentation to Orchard Property Group via email [info@orchardpg.com](mailto:info@orchardpg.com) and [approvals@jaysonpatedesign.com.au](mailto:approvals@jaysonpatedesign.com.au) (send to both emails please). A copy of this form must be included with the lodgement of plans for approval. Additional copies are available at the Administration and Sales Office.

